

# Declaration of Conformity



The undersigned, representing the following:

Manufacturer	
Eternit NV Kuijermansstraat 1 B – 1880 Kapelle-op-den-Bos	
Manufacturing plant :	7000

Following the provisions of the 89/106/EEC Construction Products Directive

Herewith declare that the products **ALTERNA** slates to which this declaration relates

are in conformity with the provisions as described in the annex ZA of the following standard(s) :

EN492:

Fibre-cement slates and fittings – Product specification and test methods


Intended use(s) :

- Discontinuously laid roof coverings for buildings
- Internal and external wall and ceiling finishes

<i>Characteristic</i>	<i>Performance declaration</i>	<i>References</i>
Mechanical resistance	Class B	Redco ref EHA 05_430
External fire exposure	Deemed to satisfy commission decision (2000/553/EC)	
Reaction to fire	Class A2 – s1 , d0	WFG ref. 11710 D,E,F & H
Water permeability	pass	Redco ref EHA 05_430
Dimensional variations	pass	Redco ref EHA 05_430
Release of dangerous substances	Type NT	
Durability against warm water	pass	Redco ref EHA 05_430
Durability against soak / dry	pass	idem
Durability against freeze-thaw	pass	idem
Durability against heat-rain	pass	idem

Name and address of notified laboratory involved :

- **Warringtonfiregent (WFG) NV**, Ottergemsesteenweg-Zuid 711, B-9000 Gent

For the manufacturer

Name : Verheyen Walter Position : Factory Manager Date : 28.02.2008

Ref nr Eternit SL03B – V02